REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-01-

data sources, aspect of this 215 Jefferson 10503.

38

D. H	on is estimated to average 1 hour per res	mon MIKE SIC 22		data sources,
Public reporting burden for this collection of informating athering and maintaining the data needed, and comp collection of information, including suggestions for rec Davis Highway, Suite 1204, Arlington, VA 22202-436	leting and reviewing the collection of info ducing this burden, to Washington Headq 02, and to the Office of Management and	ormi ligart I Buc	-2-9	aspect of this 1215 Jefferson 10503.
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	T 3		
	17 Jan 01	Final:	01 Aug 97 TO 31	Jul 98
4. TITLE AND SUBTITLE			5. FUNDING NUMB	ERS
			F49620-97-0090	
Multiscale Analysis Of Aerospace Co	mposites			
6. AUTHOR(S)			1	
Pofessor Jacob Fish				
7. PERFORMING ORGANIZATION NAM	E(S) AND ADDRESS(ES)		8. PERFORMING OF	
Rensselaer Polytechnic Institute	REPORT NUMBE	R		
110 8th St.				
Troy, New York 12180-3590				
• •				
9. SPONSORING/MONITORING AGENC	Y NAME(S) AND ADDRESS(ES)	10. SPONSORING/N	ONITORING
Air Force Office Of Scientific Resear	AGENCY REPOR	RT NUMBER		
801 N. Randolph St.				
Arlington, VA 22203-1977				
7111111gton, 111 ======				
11. SUPPLEMENTARY NOTES			J	
			FICE OF SCIENTIFIC RESEARCH	ARCH (AFCOR)
12a, DISTRIBUTION AVAILABILITY STA	TEMENIT	AIR FORCE OF	MOSHITTAL DI IO BIHISO B	CHANGE
12a. DISTRIBUTION AVAILABILITY STA	I CIVICIA I	NOTICE OF TH	ANSAMI INCOME ADDONNED	FOR PUPLOTILLE SE
Approved for public release: Distribu	ution is unlimited	HAS BEEN RE	NEWED AND IS APPROVED 12. DISTRIBUTION IS USE	MED.
		FVA VIII 100	3 381 Ser - 77 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
13. ABSTRACT (Maximum 200 words)				
Develop experimentally calibrated pro	edictive computer modeling of	capabilities that would	d bridge the multiple	material and
structural scales and there by signific	antly reduce development co	osts. This will allow,	for the first time, an	integrated
approach wherein structures and mate	erials would be designed as a	system. This is moti-	vated by the fact tha	t in an aircraft the
behavior of structure is governed by b	ooth material and structural r	esponse; often these	two levels are highly	coupled. The

pathway that will bring physical and microstructural material information into the realm of structural design will be developed.

20010404 097

14. SUBJECT TERMS			15. NUMBER OF PAGES
Multiscale Analysis Of Aerospa	16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL

61700

MULTISCALE ANALYSIS OF AEROSPACE COMPOSITES

AFOSR GRANT F49620-97-0090

Final Report

Jacob Fish, Professor

Civil, Mechanical, Aerospace Engineering and Information Technology

Rensselaer Polytechnic Institute

Summary of Work

Developed experimentally calibrated predictive computer modeling capabilities that bridge the multiple material and structural scales and thereby significantly reduce development costs. This allows an integrated approach wherein structures and materials can be designed as a system. This goal is motivated by the fact that in an aircraft the behavior of structure is governed by both material and structural response; often these two levels are highly coupled. The pathway that will bring physical and microstructural material information into the realm of structural design has been developed.

We considered the range of length and time scales spanning more than 10 orders of magnitude with different multiphysics involved at each level. We reliably predicted evolution of progressive damage from the scale of material heterogeneity to the scale of structural components. We applied the multiscale computational technology to aircraft engines (Allison Engines AE2100, GE90) and advanced DOD airframes (HSCT, JSF).

We developed a multiscale computational technology aimed at modeling structural response at three or more different scales including: (i) the global scale (structural level), (ii) the local scale (component level), and (iii) the material scale (the level of microconstituents). Multiple scale expansion method incorporating damage (for CMCs) and eigenstrains (for polymer composites) has been developed to provide the theoretical framework for the multiscale computational model. Multilevel solution technology with mechanism-based inter-scale transfer operators has been also developed. Rapid nonlinear solution techniques which are optimal in terms of robustness and speed have been developed. The multilevel solver developed selects and monitors an optimal solution strategy based on the problem data and feedback received from the convergence of the multilevel process. Modeling error estimators aimed at quantifying the quality of the numerical and mathematical models and steering construction multiscale computational models have been also developed. Developed of system identification procedures for in-situ characterization of phases and their interfaces has just begun. This procedures are critical for calibration of multiscale models to experimental data since a direct estimation of in-situ properties is not feasible.

Accomplishments - Technology Transfer

1. Design of AE2100 Tailcone for Allison Engines

Contacts:

Dr. Durell Wildman, Allison Engines Company,

Tel: (317) 230-5670, e-mail: <u>Durell.Wildman@aadc.com</u>

Dr. Larry P. Zawada, Wright-Patterson AFB,

Tel: 237-255-1352, e-mail: ZAWADLP@ML.WPAFB.AF.MIL

Dr. Allan Katz, Wright-Patterson AFB

Dr. William Coblenz, DARPA


Tel: (703) 696-2288, e-mail: wcoblenz@darpa.mil

Accomplishments: (weight savings ~20%)


1.1 Selected optimal micro-mechanical architecture (see Figure 1)

1.2 Material properties predicted were in good agreement with experimental data (see Figure 2)


1.3 Simulated progressive damage in AE2100 tailcone (in progress)




AE2100 manufactured at Northrop-Grumman



CAD model of AE2100



Optimized FE microstructure



Fabricated Microstructure




Figure 2: 4-point bend test and comparison with test data

2. Advanced airframe design (will start on September 18th, 1998)

Contact:

Dr. Allan Pifko, Northrop Grumman

Tel: (516) 575-1965, E-mail: allan pifko@atdc.northgrum.com

3. Fast solver development

Contact:

Dr. Kent Kothawala, President

Engineering Mechanics Research Corporation

Tel: (248) 689-0077, E-mail: kant@troy.emrc.com

Accomplishments

Solver implemented in EMRC commercial software package. Provided speed up of 20 and higher for some industry problems.

4. Prediction of local effects in laminated composites

(SBIR phase I)

Contact:

Dr. N. J. Pagano, Wright Patterson AFB

Tel: (513) 255-6762

Accomplishments

Multiscale computational technology has been applied to predict local effects in laminated composites. Computational results were in good agreement with analytical solution of Pagano.

5. Thermomechanical design of GE90 fan blades

Contact: Dr. P. M. Finnigan, Program Manager, General Electric Company Tel: (518) 387-5404

Accomplishments

Multiscale computational technology has been applied for design of GE90 fan blade subjected to bird impact. Numerical simulation results were found to be in good agreement with experimental data.

6. Multiscale sensitivity analysis

We developed a methodology aimed at determining the sensitivity of the global structural behavior, such deformation or vibration modes with respect to the local characteristics such as material constants of microconstituents. An analytical gradient computation, which involves the direct differentiation of the multiple scale strong forms with respect to the design parameters has been developed. Comparison of the Multiple Scale Sensitivity Analysis (MASA) to the central finite difference (CFD) approximation in terms of accuracy and computation efficiency is carried out. We demonstrated the robustness of the MASA approach compared to the CFD approximation, which has been found to be highly sensitive to the choice of the step size, whose optimal value is problem dependent.

7. Manufacturing of fan blades

Contact: Dr. P. M. Finnigan, Program Manager, General Electric Company Tel: (518) 387-5404

Accomplishments

Multiscale computational technology has been applied to predict wrinkling (on micromechanical level) in compression molding process. The model yielded the time of the onset of wrinkling which agreed well with the experiment conducted at GE. A new thermal/cure manufacturing cycle has been developed which yielded 30% cost savings (Figure 3).






Figure 3: Typical micromechanical failure plots in a fan blade

Personnel Supported

Dr. KamLun Shek, Post-Doc Rolf Wentorf, Research Engineer Qing Yu, PhD student Yong Qu, PhD Student

Publications

- [1] J. Fish, K. Shek, M. Pandheeradi, and M.S. Shephard, "Computational Plasticity for Composite Structures Based on Mathematical Homogenization: Theory and Practice," Comp. Meth. Appl. Mech. Engng., Vol. 148, pp. 53-73, (1997).
- [2] J.Fish, J. LeMonds, and K. Shek, "Modeling and Simulation of Wrinkling in Compression Molding process of Fiber Reinforced Composites," accepted in Journal of Engineering Mechanics, (1997).
- [3] J. Fish and A. Suvorov, "Automated Adaptive Multilevel Solver," Comp. Meth. Appl. Mech. Engng., Vol. 149, pp. 267-287, (1997).
- [4] J. Fish, "Holistic approach for problems in heterogeneous media," USACM Bulletin, Vol. 10, No. 1, pp. 4-13, (1997).
- [5] R. Collar, R. Wentorf, M.S. Shephard, J.Fish, Y.Qu, K. L. Shek, "Automated Analyses of Three-Dimensional Composite Unit Cells", submitted to International Journal for Numerical Methods in Engineering, (1997).
- [6] J. Fish and K. L. Shek, "Finite Deformation Plasticity of Composite Structures: Computational Models and Adaptive Strategies," submitted to Comp. Meth. Appl. Mech. Engng., (1997).
- [7] R. Wentorf, R. Collar, M.S. Shephard, J. Fish, "Automated Modeling for Complex Woven Mesostructures," Comp. Meth. Appl. Mech. Engng., (1997), in print.
- [8] J. Fish and K.L. Shek, "Computational Aspects of Incrementally Objective Algorithms for Large Deformation Plasticity," International Journal for Numerical Methods in Engineering, in print (1998).
- [9] J. Fish and K. L. Shek, "Computational Plasticity and Viscoplasticity for Composite Materials and Structures," in print Journal of Composites Part B, (1998).
- [10] J. Fish, A. Suvorov and Y. Qu, "Towards robust two-level methods for indefinite systems," submitted to International Journal for Numerical Methods in Engineering, (1998).
- [11] J. Fish and V. Korneev, "On Two-Level Methods Based on Aggregation for 3D Problems," submitted to Comp. Meth. Appl. Mech. Engng., (1998).
- [12] J. Fish and K. L. Shek, "Finite Deformation Plasticity Based on the Additive Split of the Rate of Deformation and Hyperelasticity," submitted to Comp. Meth. Appl. Mech. Engng., (1998).
- [13] J. Fish, Q. Yu and K. L. Shek, "Computational Damage Mechanics for Composite Materials Based on Mathematical Homogenization," submitted to International Journal for Numerical Methods in Engineering, (1998).
- [14] J. Fish and A. Ghouli, "Multiscale Analytical Sensitivity Analysis for Composite Materials," International Journal for Numerical Methods in Engineering, Vol. 50, pp. 00, (2000).

Honors/Awards

Who is Who in Science and Engineering, 1998; Who is Who in America, 1998; Who is Who in the World, 1998; ASME, International Computers in Engineering Conf., Best Paper Award, 1995; USACM Travel Award, 1994; AIAA/SDM, Computational Mechanics, Best Paper, 1993; National Science Foundation Presidential Young Investigator Award, 1992.